

EXPLAINING OUTCOMES PROJECT
Reference List for Literature Review Articles
April 2000

Approximately 300 literature review articles were identified through an extensive search for the period 1994-1999 using keywords relevant to the Explaining Outcomes Project themes. The list below represents a "first cut" of **literature reviews** or the first reduction of the list to narrow in on articles most relevant to project themes. Citations highlighted in bold represent those articles selected in the "second cut" of articles for their relevancy to the Explaining Outcomes Project themes. One more cut of these selections is planned before the content analysis of material commences. Please contact Ellen Tate, Project Coordinator at Ellen_Tate@camh.net if you wish further information about how this list was compiled, how the selection was made or about the project in general.

1. Anonymous. (10-20-1994). Longterm management of people with psychotic disorders in the community. [Review] [38 refs]. *Drug & Therapeutics.Bulletin*, 32, (10), 73-77.
2. **Bachrach, L. L. (1996). Psychosocial rehabilitation and psychiatry: what are the boundaries?. [Review] [55 refs]. *Canadian Journal of Psychiatry - Revue Canadienne de Psychiatrie*, 41, (1), 28-35.**
3. Ballus, C. (12-19-1997). Effects of antipsychotics on the clinical and psychosocial behavior of patients with schizophrenia. [Review] [43 refs]. *Schizophrenia Research*, 28, (2-3), 247-255.
4. **Baronet, A. M. and Gerber, G. J. (1998). Psychiatric rehabilitation: efficacy of four models. [Review] [82 refs]. *Clinical Psychology Review*, 18, (2), 189-228.**
5. **Barton, Richard. (1999). Psychosocial rehabilitation services in community support systems: A review of outcomes and policy recommendations. *Psychiatric Services*, 50, (4), 525-534.**
6. **Bellack, A. S. and Gearon, J. S. (1998). Substance abuse treatment for people with schizophrenia. [Review] [94 refs]. *Addictive Behaviors*, 23, (6), 749-766.**
7. Bhui, K., Christie, Y., and Bhugra, D. (1995). The essential elements of culturally sensitive psychiatric services. [Review] [83 refs]. *International Journal of Social Psychiatry*, 41, (4), 242-256.
8. **Birchwood, M. and MacMillan, F. (1993). Early intervention in schizophrenia. [Review] [41 refs]. *Australian & New Zealand Journal of Psychiatry*, 27, (3), 374-378.**
9. Bond, G. R., Drake, R. E., Mueser, K. T., and Becker, D. R. (1997). An update on supported employment for people with severe mental illness. *Psychiatric Services*, 48, (3), 335-346.
10. Buchanan, J. (1995). Social support and schizophrenia: a review of the literature. *Archives of Psychiatric Nursing*, 9, (2), 68-76.
11. **Burns, B. J. and Santos, A. B. (1995). Assertive community treatment: an update of randomized trials. [Review] [46 refs]. *Psychiatric Services*, 46, (7), 669-675.**
12. Cameron, C. (1996). Patient compliance: recognition of factors involved and suggestions for promoting compliance with therapeutic regimens. [Review] [45 refs]. *Journal of Advanced Nursing*, 24, (2), 244-250.
13. Carpenter, W. T. Jr. (1996). Maintenance therapy of persons with schizophrenia. [Review] [118 refs]. *Journal of Clinical Psychiatry*, 57, Suppl-8.
14. **Cebrario, M. (1999). The Essential Characteristics of Community Support Programs as Identified by Consumers and Families.**

15. Chalifoux, Z., Neese, J. B., Buckwalter, K. C., Litwak, E., and Abraham, I. L. (1996). Mental health services for rural elderly: innovative service strategies. [Review] [70 refs]. *Community Mental Health Journal*, 32, (5), 463-480.
16. Clardy, J. A., Booth, B. M., Smith, L. G., Nordquist, C. R., and Smith, G. R. (1998). Implementing a statewide outcomes management system for consumers of public mental health services. [Review] [39 refs]. *Psychiatric Services*, 49, (2), 191-195.
17. Clark, R. E. (1996). Family support for persons with dual disorders. [Review] [54 refs]. *New Directions for Mental Health Services*, (70), 65-78.
18. Clarke, L. (3-4-1998). Voice-overs. [Review] [14 refs]. *Nursing Times*, 94, (9), 28-29.
19. Corrigan, P. W. (1995). Use of a token economy with seriously mentally ill patients: criticisms and misconceptions. [Review] [52 refs]. *Psychiatric Services*, 46, (12), 1258-1263.
20. Curtis, L. C. and Hodge, M. (1995). Ethics and boundaries in community support services: new challenges. [Review] [60 refs]. *New Directions for Mental Health Services*, (66), 43-60.
21. Davidson, L. and Strauss, J. S. (1995). Beyond the biopsychosocial model: integrating disorder, health, and recovery. [Review] [49 refs]. *Psychiatry*, 58, (1), 44-55.
22. Diamond, R. J. (1995). Coercion in the community: issues for mature treatment systems. [Review] [36 refs]. *New Directions for Mental Health Services*, (66), 3-18.
23. Dickerson, F. B. (1997). Three Assessing clinical outcomes: the community functioning of persons with serious mental illness. [Review] [51 refs]. *Psychiatric Services*, 48, (7), 897-902.
24. Donegan, K. R. and Palmer-Erbs, V. K. (1998). Promoting the importance of work for persons with psychiatric disabilities--the role of the psychiatric nurse. [Review] [56 refs]. *Journal of Psychosocial Nursing & Mental Health Services*, 36, (4), 13-23.
25. **Drake, R. E., Mercer-McFadden, C., Mueser, K. T., McHugo, G. J., and Bond, G. R. (1998). Review of integrated mental health and substance abuse treatment for patients with dual disorders. [Review] [119 refs]. *Schizophrenia Bulletin*, 24, (4), 589-608.**
26. Durham, M. L. and La Fond, J. Q. (1996). Assessing psychiatric care settings. Hospitalization versus outpatient care. [Review] [98 refs]. *International Journal of Technology Assessment in Health Care*, 12, (4), 618-633.
27. **Durham, Tessa. (1997). Work-related activity for people with long-term schizophrenia: A review of the literature. *British Journal of Occupational Therapy*, 60, (6), 248-252.**
28. **el Mallakh, P. (1998). Treatment models for clients with co-occurring addictive and mental disorders. [Review] [50 refs]. *Archives of Psychiatric Nursing*, 12, (2), 71-80.**
29. Falloon, I. R., Coverdale, J. H., Laidlaw, T. M., Merry, S., Kydd, R. R., and Morosini, P. (1998). Early intervention for schizophrenic disorders. Implementing optimal treatment strategies in routine clinical services. OTP Collaborative Group. [Review] [55 refs]. *British Journal of Psychiatry - Supplement*, 172, (33), 33-38.
30. **Falloon, I. R., Held, T., Roncone, R., Coverdale, J. H., and Laidlaw, T. M. (1998). Optimal treatment strategies to enhance recovery from schizophrenia. [Review] [44 refs]. *Australian & New Zealand Journal of Psychiatry*, 32, (1), 43-49.**

31. Falloon, Ian R. H., Coverdale, John H., and Brooker, Charles. (1996). Psychosocial interventions in schizophrenia: A review. *International Journal of Mental Health*, 25, (1), 3-21.
32. Fallot, R. D. (1998). Spiritual and religious dimensions of mental illness recovery narratives. [Review] [18 refs]. *New Directions for Mental Health Services*, (80), 35-44.
33. Gaebel, W. and Marder, S. (1996). Conclusions and treatment recommendations for the acute episode in schizophrenia. [Review] [75 refs]. *International Clinical Psychopharmacology*, 11 Suppl 2, 93-100.
34. Gafoor, M. and Rassool, G. H. (1998). The co-existence of psychiatric disorders and substance misuse: working with dual diagnosis patients. [Review] [30 refs]. *Journal of Advanced Nursing*, 27, (3), 497-502.
35. Geller, J. L. (1995). A biopsychosocial rationale for coerced community treatment in the management of schizophrenia. [Review] [58 refs]. *Psychiatric Quarterly*, 66, (3), 219-235.
36. Gibbs, J. T. and Fuery, D. (1994). Mental health and well-being of black women: toward strategies of empowerment. [Review] [95 refs]. *American Journal of Community Psychology*, 22, (4), 559-582.
37. Gournay, K. (1995). Mental health nurses working purposefully with people with serious and enduring mental illness--an international perspective. [Review] [68 refs]. *International Journal of Nursing Studies*, 32, (4), 341-352.
38. Hickey, G. and Kipping, C. (1998). Exploring the concept of user involvement in mental health through a participation continuum. [Review] [25 refs]. *Journal of Clinical Nursing*, 7, (1), 83-88.
39. Hochberger, J. M. (1995). A discharge check list for psychiatric patients. [Review] [13 refs]. *Journal of Psychosocial Nursing & Mental Health Services*, 33, (12), 35-38.
40. Holland, M. (8-13-1998). Substance use and mental health problems: meeting the challenge. [Review] [15 refs]. *British Journal of Nursing*, 7, (15), 896-900.
41. Howland, R. H. (1995). The treatment of persons with dual diagnoses in a rural community. [Review] [50 refs]. *Psychiatric Quarterly*, 66, (1), 33-49.
42. Hylton, J. H. (1995). Care or control: health or criminal justice options for the long-term seriously mentally ill in a Canadian province. [Review] [39 refs]. *International Journal of Law & Psychiatry*, 18, (1), 45-59.
43. Jackson, C. and Birchwood, M. (1996). Early intervention in psychosis: opportunities for secondary prevention. [Review] [82 refs]. *British Journal of Clinical Psychology*, 35, (Pt 4), 487-502.
44. Johnson, C. A. and Johnson, D. L. (1998). Working with native American families. [Review] [12 refs]. *New Directions for Mental Health Services*, (77), 89-96.
45. Johnson, S., Prosser, D., Bindman, J., and Szmukler, G. (1997). Continuity of care for the severely mentally ill: concepts and measures. [Review] [25 refs]. *Social Psychiatry & Psychiatric Epidemiology*, 32, (3), 137-142.
46. Kane, J. M. and McGlashan, T. H. (9-23-1995). Treatment of schizophrenia. [Review] [38 refs]. *Lancet*, 346, (8978), 820-825.
47. Kent, S., Fogarty, M., and Yellowlees, P. (1995). A review of studies of heavy users of psychiatric services. [Review] [72 refs]. *Psychiatric Services*, 46, (12), 1247-1253.

48. **Klinkenberg, W. D. and Calsyn, R. J. (1996). Predictors of receipt of aftercare and recidivism among persons with severe mental illness: a review. [Review] [117 refs]. *Psychiatric Services*, 47, (5), 487-496.**
49. Kopelowicz, A. and Liberman, R. P. (1995). Biobehavioral treatment and rehabilitation of schizophrenia. [Review] [82 refs]. *Harvard Review of Psychiatry*, 3, (2), 55-64.
50. Lamb, G. S. (1995). Case management. [Review] [46 refs]. *Annual Review of Nursing Research*, 13, 117-136.
51. Lefley, H. P. (1997). Mandatory treatment from the family's perspective. [Review] [26 refs]. *New Directions for Mental Health Services*, (75), 7-16.
52. Lehman, A. F. (1995). Vocational rehabilitation in schizophrenia. [Review] [45 refs]. *Schizophrenia Bulletin*, 21, (4), 645-656.
53. **Lehman, A. F. (1998). Public health policy, community services, and outcomes for patients with schizophrenia. [Review] [28 refs]. *Psychiatric Clinics of North America*, 21, (1), 221-231.**
54. **Lehman, A. F. and Steinwachs, D. M. (1998). Translating research into practice: the Schizophrenia Patient Outcomes Research Team (PORT) treatment recommendations. *Schizophrenia Bulletin*, 24, (1), 1-10.**
55. Links, P. S. (1998). Developing effective services for patients with personality disorders [see comments]. [Review] [69 refs]. *Canadian Journal of Psychiatry - Revue Canadienne de Psychiatrie*, 43, (3), 251-259.
56. Marrone, J., Balzell, A., and Gold, M. (1995). Employment supports for people with mental illness. [Review] [40 refs]. *Psychiatric Services*, 46, (7), 707-711.
57. **McCabe, S. and Unzicker, R. E. (1995). Changing roles of consumer/survivors in mature mental health systems. [Review] [31 refs]. *New Directions for Mental Health Services*, (66), 61-73.**
58. McFadyen, J. A. and Farrington, A. (8-8-1996). The failure of community care for the severely mentally ill. *British Journal of Nursing*, 5, (15), 920-928.
59. **McFarlane, W. R. (1997). Fact: integrating family psychoeducation and assertive community treatment. [Review] [41 refs]. *Administration & Policy in Mental Health*, 25, (2), 191-198.**
60. McMillan, I. (7-8-1998). Review of care for people who are hard to engage. *Nursing Standard*, 12, (42), 32-33.
61. Mojtabai, Ramin, Nicholson, Robert A., and Neesmith, David H. (1997). Factors affecting relapse in patients discharged from a public hospital: Results from survival analysis. *Psychiatric Quarterly*, 68, (2), 117-129.
62. Mueser, K. T. and Noordsy, D. L. (1996). Group treatment for dually diagnosed clients. [Review] [35 refs]. *New Directions for Mental Health Services*, (70), 33-51.
63. **Mueser, K. T., Drake, R. E., and Bond, G. R. (1997). Recent advances in psychiatric rehabilitation for patients with severe mental illness. [Review] [213 refs]. *Harvard Review of Psychiatry*, 5, (3), 123-137.**
64. **Noordsy, D. L., Schwab, B., Fox, L., and Drake, R. E. (1996). The role of self-help programs in the rehabilitation of persons with severe mental illness and substance use disorders. *Community Mental Health Journal*, 32, (1), 71-81.**

65. Ogilvie, R. J. (1997). The state of supported housing for mental health consumers: a literature review. *Psychiatric Rehabilitation Journal*, 21, (2), 122-131.
66. Osher, F. C. and Dixon, L. B. (1996). Housing for persons with co-occurring mental and addictive disorders. [Review] [37 refs]. *New Directions for Mental Health Services*, (70), 53-64.
67. Parker, Gordon. (1997). Case management: an evidence based review fails to make its case. *Current Opinion in Psychiatry*, 10, (4), 261-263.
68. Penn, D. L. and Mueser, K. T. (1996). Research update on the psychosocial treatment of schizophrenia. [Review] [89 refs]. *American Journal of Psychiatry*, 153, (5), 607-617.
69. Rapp, C. A. (1998). The active ingredients of effective case management: a research synthesis. [Review] [60 refs]. *Community Mental Health Journal*, 34, (4), 363-380.
70. Reus, V. I. (1996). Management of treatment-resistant unipolar and chronically depressed patients. [Review] [134 refs]. *Psychiatric Clinics of North America*, 19, (2), 201-213.
71. Rose, L. E. (1996). Families of psychiatric patients: a critical review and future research directions. *Archives of Psychiatric Nursing*, 10, (2), 67-76.
72. Santos, A. B., Henggeler, S. W., Burns, B. J., Arana, G. W., and Meisler, N. (1995). Research on field-based services: models for reform in the delivery of mental health care to populations with complex clinical problems. [Review] [70 refs]. *American Journal of Psychiatry*, 152, (8), 1111-1123.
73. Scott, J. (1995). Psychotherapy for bipolar disorder. [Review] [29 refs]. *British Journal of Psychiatry*, 167, (5), 581-588.
74. Scott, J. E. and Dixon, L. B. (1995). Assertive community treatment and case management for schizophrenia. [Review] [56 refs]. *Schizophrenia Bulletin*, 21, (4), 657-668.
75. Siegfried, N. (1998). A review of comorbidity: major mental illness and problematic substance use. [Review] [69 refs]. *Australian & New Zealand Journal of Psychiatry*, 32, (5), 707-717.
76. Smith, G. B. and Bezon, J. (1997). Case management guideline. Major depression in adults and older adults. [Review] [22 refs]. *Nursing Case Management*, 2, (6), 246-254.
77. Smith, T. E. and Docherty, J. P. (1998). Standards of care and clinical algorithms for treating schizophrenia. [Review] [23 refs]. *Psychiatric Clinics of North America*, 21, (1), 203-220.
78. Solomon, P. and Draine, J. (1998). Consumers as providers in psychiatric rehabilitation. [Review] [31 refs]. *New Directions for Mental Health Services*, (79), 65-77.
79. Spoth, R. (1997). Challenges in defining and developing the field of rural mental disorder preventive intervention research. [Review] [80 refs]. *American Journal of Community Psychology*, 25, (4), 425-448.
80. Sullivan, P. (11-6-1996). Community care for the severely mentally ill: a review. [Review] [16 refs]. *Nursing Standard*, 11, (7), 40-42.
81. Sullivan, W. P. (1998). Recoiling, regrouping, and recovering: first-person accounts of the role of spirituality in the course of serious mental illness. [Review] [29 refs]. *New Directions for Mental Health Services*, (80), 25-33.
82. Teague, G. B., Bond, G. R., and Drake, R. E. (1998). Program fidelity in assertive community treatment: development and use of a measure. [Review] [49 refs]. *American Journal of Orthopsychiatry*, 68, (2), 216-232.

83. Tyrer, P., Coid, J., Simmonds, S., Joseph, P., and Marriott, S. (1997). **Community mental health team management for those with severe mental illnesses and disordered personality. IN: Schizophrenia Module of The Cochrane Database of Systematic Reviews (Adams CE et al). The Cochrane Library, The Cochrane Collaboration ** 1997 Sep 1 issue 4, (26 p), -ROM.**
84. Vandiver, V. L. and Keopraseuth, K. O. (1998). Family wisdom and clinical support: culturally relevant practice strategies for working with Indochinese families who care for a relative with mental illness. [Review] [25 refs]. *New Directions for Mental Health Services*, (77), 75-88.